SUPRA LINEA

Features & Benefits

Access BDD

Contents

- Main Features
- Residential Features
- Commercial Features



Main Features



- Aluminium rail fitted directly to load-bearing concrete wall
- Adjustable steel stanchions
- Rack and pinion drive unit
- Automatic folding platform, access ramps and safety bars
- Safety edges on platform side, platform base and access ramps
- 90° front side access
- 2x radio remote call stations
- Load control device to prevent overloading and strain on the motor
- Manual emergency lowering device
- Onboard emergency alarm
- Outdoor unit available with cover
- Quick installation can be installed in one day
- Complies with the required national codes ASME A18.1, ASME 17.5
- Platform finished in grey
- Non-slip platform floor
- Onboard handrail
- Soft start and stop
- Radio remote control as option
- 716lbs weight capacity for staircase inclination up to 35°
- 550lbs weight capacity for staircase inclination of over 36°
- Power supply: 120 VAC single phase
- Speed: 25 ½ ft / min (0,13 m/s)
- Rail length up to 65½ ft

Residential Features



- Standard 33.5" x 27.9" platform size
- Optional 49.2" x 33.5" platform size
- 2x removable joystick-key controls
 - Or optional detachable wired control
- Optional Folding seat
- Optional Auxiliary Power System
- Optional Emergency communication device

Commercial Features



- Standard 49.2" x 33.5" platform size.
- 2x removable joystick-key controls.
 - Or optional detachable wired control if Attendant Operation is specified.
- Folding seat.
- Audio & Visual alert onboard for use in busy public environments.
- Auxiliary Power System (UPS) obligatory unless the building has its own auxiliary power system.
- Emergency communication device obligatory unless dependable assistance is always present in the building.

When it comes to safety don't just be safe...



Planning is the first step towards working safely.

